Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	0	1
Diagnosis		% within Sex	.5%	.0%	.4%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	2.8%	.4%
	2-4	Count	0	2	2
		% within Sex	.0%	5.6%	.8%
	13-19	Count	5	2	7
		% within Sex	2.4%	5.6%	2.9%
	20-24	Count	30	6	36
		% within Sex	14.4%	16.7%	14.8%
	25-29	Count	32	5	37
		% within Sex	15.4%	13.9%	15.2%
	30-34	Count	45	6	51
		% within Sex	21.6%	16.7%	20.9%
	35-39	Count	42	6	48
		% within Sex	20.2%	16.7%	19.7%
	40-44	Count	32	5	37
		% within Sex	15.4%	13.9%	15.2%
	45-49	Count	7	1	8
		% within Sex	3.4%	2.8%	3.3%
	50-54	Count	7	1	8
		% within Sex	3.4%	2.8%	3.3%
	55-59	Count	5	1	6
		% within Sex	2.4%	2.8%	2.5%
	60-64	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	70+	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	208	36	244
1100.4		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	71	5	76
		% within Sex	34.1%	13.9%	31.1%
	African American	Count	27	12	39
		% within Sex	13.0%	33.3%	16.0%
	Hispanic	Count	107	18	125
		% within Sex	51.4%	50.0%	51.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Sex	.0%	2.8%	.4%
	Not Specified	Count	3	0	3
		% within Sex	1.4%	.0%	1.2%
Total		Count	208	36	244
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	94	0	94
Exposure		% within Sex	45.2%	.0%	38.5%
	IDU	Count	15	5	20
		% within Sex	7.2%	13.9%	8.2%
	M-M & IDU	Count	5	0	5
		% within Sex	2.4%	.0%	2.0%
	Heterosexual Contact	Count	4	10	14
		% within Sex	1.9%	27.8%	5.7%
	Transfusion	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Not Classified	Count	88	18	106
		% within Sex	42.3%	50.0%	43.4%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.5%	8.3%	1.6%
Total		Count	208	36	244
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	76	76
		% within Adult-Ped	.0%	31.7%	31.1%
	African American	Count	1	38	39
		% within Adult-Ped	25.0%	15.8%	16.0%
	Hispanic	Count	3	122	125
		% within Adult-Ped	75.0%	50.8%	51.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	1.3%	1.2%
Total		Count	4	240	244
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.8%	.0%	.6%
	5-12	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	13-19	Count	10	4	14
		% within Sex	4.0%	6.6%	4.5%
	20-24	Count	27	6	33
		% within Sex	10.8%	9.8%	10.6%
	25-29	Count	58	9	67
		% within Sex	23.1%	14.8%	21.5%
	30-34	Count	49	13	62
		% within Sex	19.5%	21.3%	19.9%
	35-39	Count	39	11	50
		% within Sex	15.5%	18.0%	16.0%
	40-44	Count	31	8	39
		% within Sex	12.4%	13.1%	12.5%
	45-49	Count	18	6	24
		% within Sex	7.2%	9.8%	7.7%
	50-54	Count	7	1	8
		% within Sex	2.8%	1.6%	2.6%
	55-59	Count	3	1	4
		% within Sex	1.2%	1.6%	1.3%
	60-64	Count	3	2	5
		% within Sex	1.2%	3.3%	1.6%
	70+	Count	3	0	3
		% within Sex	1.2%	.0%	1.0%
Total		Count	251	61	312
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	76	14	90
		% within Sex	30.3%	23.0%	28.8%
	African American	Count	38	13	51
		% within Sex	15.1%	21.3%	16.3%
	Hispanic	Count	133	33	166
		% within Sex	53.0%	54.1%	53.2%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	3	1	4
		% within Sex	1.2%	1.6%	1.3%
Total		Count	251	61	312
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	152	0	152
Exposure		% within Sex	60.6%	.0%	48.7%
	IDU	Count	19	13	32
		% within Sex	7.6%	21.3%	10.3%
	M-M & IDU	Count	7	0	7
		% within Sex	2.8%	.0%	2.2%
	Heterosexual Contact	Count	14	29	43
		% within Sex	5.6%	47.5%	13.8%
	Transfusion	Count	1	1	2
		% within Sex	.4%	1.6%	.6%
	Not Classified	Count	55	18	73
		% within Sex	21.9%	29.5%	23.4%
	Ped Parent at Risk	Count	2	0	2
		% within Sex	.8%	.0%	.6%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total	_	Count	251	61	312
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	89	90
		% within Adult-Ped	33.3%	28.8%	28.8%
	African American	Count	1	50	51
		% within Adult-Ped	33.3%	16.2%	16.3%
	Hispanic	Count	1	165	166
		% within Adult-Ped	33.3%	53.4%	53.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	4	4
		% within Adult-Ped	.0%	1.3%	1.3%
Total		Count	3	309	312
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	4	1	5
Diagnosis		% within Sex	.4%	.4%	.4%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	2-4	Count	0	2	2
		% within Sex	.0%	.9%	.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	13-19	Count	30	13	43
	20-24	% within Sex	3.3%	5.7%	3.8%
	20-24	Count	110	39	149
		% within Sex	12.2%	17.0%	13.2%
	25-29	Count	189	37	226
		% within Sex	21.0%	16.2%	20.0%
	30-34	Count	187	43	230
		% within Sex	20.8%	18.8%	20.4%
	35-39	Count	166	36	202
		% within Sex	18.4%	15.7%	17.9%
	40-44	Count	103	30	133
		% within Sex	11.4%	13.1%	11.8%
	45-49	Count	50	13	63
		% within Sex	5.5%	5.7%	5.6%
	50-54	Count	31	5	36
		% within Sex	3.4%	2.2%	3.2%
	55-59	Count	18	6	24
		% within Sex	2.0%	2.6%	2.1%
	60-64	Count	5	2	7
		% within Sex	.6%	.9%	.6%
	70+	Count	6	0	6
		% within Sex	.7%	.0%	.5%
Total		Count	901	229	1130
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	310	63	373
		% within Sex	34.4%	27.5%	33.0%
	African American	Count	117	55	172
		% within Sex	13.0%	24.0%	15.2%
	Hispanic	Count	465	108	573
		% within Sex	51.6%	47.2%	50.7%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.3%	.4%	.4%
	Not Specified	Count	6	2	8
		% within Sex	.7%	.9%	.7%
Total		Count	901	229	1130
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	515	0	515
Exposure		% within Sex	57.2%	.0%	45.6%
	IDU	Count	68	51	119
		% within Sex	7.5%	22.3%	10.5%
	M-M & IDU	Count	27	0	27
		% within Sex	3.0%	.0%	2.4%
	Heterosexual Contact	Count	35	91	126
		% within Sex	3.9%	39.7%	11.2%
	Transfusion	Count	3	1	4
		% within Sex	.3%	.4%	.4%
	Not Classified	Count	247	81	328
		% within Sex	27.4%	35.4%	29.0%
	Ped Parent at Risk	Count	5	4	9
		% within Sex	.6%	1.7%	.8%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.4%	.2%
Total	_	Count	901	229	1130
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	Adult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	371	373
		% within Adult-Ped	18.2%	33.2%	33.0%
	African American	Count	4	168	172
		% within Adult-Ped	36.4%	15.0%	15.2%
	Hispanic	Count	5	568	573
		% within Adult-Ped	45.5%	50.8%	50.7%
	Asian-Pacific Islander	Count	0	4	4
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	8	8
		% within Adult-Ped	.0%	.7%	.7%
Total		Count	11	1119	1130
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	4	1	5
Diagnosis		% within Sex	.5%	.4%	.4%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	2-4	Count	0	2	2
		% within Sex	.0%	.9%	.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	13-19	Count	30	13	43
		% within Sex	3.4%	5.8%	3.9%
	20-24	Count	110	39	149
		% within Sex	12.4%	17.3%	13.4%
	25-29	Count	188	37	225
		% within Sex	21.2%	16.4%	20.2%
	30-34	Count	187	42	229
		% within Sex	21.1%	18.6%	20.6%
	35-39	Count	163	36	199
		% within Sex	18.4%	15.9%	17.9%
	40-44	Count	102	28	130
		% within Sex	11.5%	12.4%	11.7%
	45-49	Count	48	13	61
		% within Sex	5.4%	5.8%	5.5%
	50-54	Count	28	5	33
		% within Sex	3.2%	2.2%	3.0%
	55-59	Count	16	6	22
		% within Sex	1.8%	2.7%	2.0%
	60-64	Count	5	2	7
		% within Sex	.6%	.9%	.6%
	70+	Count	5	0	5
		% within Sex	.6%	.0%	.4%
Total		Count	888	226	1114
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	1	0	1
Age		% within Sex	.1%	.0%	.1%
	2-4	Count	2	3	5
		% within Sex	.2%	1.3%	.4%
	5-12	Count	2	1	3
		% within Sex	.2%	.4%	.3%
	13-19	Count	6	5	11
		% within Sex	.7%	2.2%	1.0%
	20-24	Count	65	18	83
		% within Sex	7.3%	8.0%	7.5%
	25-29	Count	94	34	128
		% within Sex	10.6%	15.0%	11.5%
	30-34	Count	172	37	209
		% within Sex	19.4%	16.4%	18.8%
	35-39	Count	178	38	216
		% within Sex	20.0%	16.8%	19.4%
	40-44	Count	175	41	216
		% within Sex	19.7%	18.1%	19.4%
	45-49	Count	88	25	113
		% within Sex	9.9%	11.1%	10.1%
	50-54	Count	56	9	65
		% within Sex	6.3%	4.0%	5.8%
	55-59	Count	24	6	30
		% within Sex	2.7%	2.7%	2.7%
	60-64	Count	17	8	25
		% within Sex	1.9%	3.5%	2.2%
	65-69	Count	3	1	4
		% within Sex	.3%	.4%	.4%
	70+	Count	5	0	5
		% within Sex	.6%	.0%	.4%
Total		Count	888	226	1114
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	306	62	368
		% within Sex	34.5%	27.4%	33.0%
	African American	Count	116	54	170
		% within Sex	13.1%	23.9%	15.3%
	Hispanic	Count	457	107	564
		% within Sex	51.5%	47.3%	50.6%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.3%	.4%	.4%
	Not Specified	Count	6	2	8
		% within Sex	.7%	.9%	.7%
Total		Count	888	226	1114
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	513	0	513
Exposure		% within Sex	57.8%	.0%	46.1%
	IDU	Count	68	49	117
		% within Sex	7.7%	21.7%	10.5%
	M-M & IDU	Count	26	0	26
		% within Sex	2.9%	.0%	2.3%
	Heterosexual Contact	Count	35	90	125
		% within Sex	3.9%	39.8%	11.2%
	Transfusion	Count	3	1	4
		% within Sex	.3%	.4%	.4%
	Not Classified	Count	237	81	318
		% within Sex	26.7%	35.8%	28.5%
	Ped Parent at Risk	Count	5	4	9
		% within Sex	.6%	1.8%	.8%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.4%	.2%
Total		Count	888	226	1114
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	366	368
		% within Adult-Ped	18.2%	33.2%	33.0%
	African American	Count	4	166	170
		% within Adult-Ped	36.4%	15.0%	15.3%
	Hispanic	Count	5	559	564
		% within Adult-Ped	45.5%	50.7%	50.6%
	Asian-Pacific Islander	Count	0	4	4
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	8	8
		% within Adult-Ped	.0%	.7%	.7%
Total		Count	11	1103	1114
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	1	1
Diagnosis		% within Sex	.0%	4.5%	.6%
	20-24	Count	5	0	5
		% within Sex	3.2%	.0%	2.8%
	25-29	Count	15	2	17
		% within Sex	9.6%	9.1%	9.5%
	30-34	Count	27	3	30
		% within Sex	17.2%	13.6%	16.8%
	35-39	Count	42	6	48
		% within Sex	26.8%	27.3%	26.8%
	40-44	Count	31	4	35
		% within Sex	19.7%	18.2%	19.6%
	45-49	Count	23	2	25
		% within Sex	14.6%	9.1%	14.0%
	50-54	Count	7	1	8
		% within Sex	4.5%	4.5%	4.5%
	55-59	Count	6	2	8
		% within Sex	3.8%	9.1%	4.5%
	70+	Count	1	1	2
		% within Sex	.6%	4.5%	1.1%
Total		Count	157	22	179
0 HCDA -		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	34	4	38
		% within Sex	21.7%	18.2%	21.2%
	African American	Count	19	6	25
		% within Sex	12.1%	27.3%	14.0%
	Hispanic	Count	103	12	115
		% within Sex	65.6%	54.5%	64.2%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.6%	.0%	.6%
Total		Count	157	22	179
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	90	0	90
Exposure		% within Sex	57.3%	.0%	50.3%
	IDU	Count	12	2	14
		% within Sex	7.6%	9.1%	7.8%
	M-M & IDU	Count	5	0	5
		% within Sex	3.2%	.0%	2.8%
	Heterosexual Contact	Count	7	10	17
		% within Sex	4.5%	45.5%	9.5%
	Not Classified	Count	43	10	53
		% within Sex	27.4%	45.5%	29.6%
Total		Count	157	22	179
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	38	38
		% within Adult-Ped	21.2%	21.2%
	African American	Count	25	25
		% within Adult-Ped	14.0%	14.0%
	Hispanic	Count	115	115
		% within Adult-Ped	64.2%	64.2%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	.6%	.6%
Total		Count	179	179
		% within Adult-Ped	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2	0	2
Diagnosis		% within Sex	1.3%	.0%	1.1%
	20-24	Count	5	4	9
		% within Sex	3.2%	12.9%	4.8%
	25-29	Count	12	2	14
		% within Sex	7.6%	6.5%	7.4%
	30-34	Count	33	5	38
		% within Sex	21.0%	16.1%	20.2%
	35-39	Count	40	5	45
		% within Sex	25.5%	16.1%	23.9%
	40-44	Count	26	7	33
		% within Sex	16.6%	22.6%	17.6%
	45-49	Count	20	3	23
		% within Sex	12.7%	9.7%	12.2%
	50-54	Count	11	3	14
		% within Sex	7.0%	9.7%	7.4%
	55-59	Count	2	1	3
		% within Sex	1.3%	3.2%	1.6%
	60-64	Count	1	0	1
		% within Sex	.6%	.0%	.5%
	65-69	Count	5	1	6
		% within Sex	3.2%	3.2%	3.2%
Total		Count	157	31	188
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	48	3	51
		% within Sex	30.6%	9.7%	27.1%
	African American	Count	21	9	30
		% within Sex	13.4%	29.0%	16.0%
	Hispanic	Count	83	18	101
		% within Sex	52.9%	58.1%	53.7%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.3%	3.2%	1.6%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.6%	.0%	.5%
	Not Specified	Count	2	0	2
		% within Sex	1.3%	.0%	1.1%
Total		Count	157	31	188
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	92	0	92
Exposure		% within Sex	58.6%	.0%	48.9%
	IDU	Count	18	4	22
		% within Sex	11.5%	12.9%	11.7%
	M-M & IDU	Count	3	0	3
		% within Sex	1.9%	.0%	1.6%
	Heterosexual Contact	Count	12	14	26
		% within Sex	7.6%	45.2%	13.8%
	Transfusion	Count	1	0	1
		% within Sex	.6%	.0%	.5%
	Not Classified	Count	31	13	44
		% within Sex	19.7%	41.9%	23.4%
Total		Count	157	31	188
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	51	51
		% within Adult-Ped	27.1%	27.1%
	African American	Count	30	30
		% within Adult-Ped	16.0%	16.0%
	Hispanic	Count	101	101
		% within Adult-Ped	53.7%	53.7%
	Asian-Pacific Islander	Count	3	3
		% within Adult-Ped	1.6%	1.6%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.5%	.5%
	Not Specified	Count	2	2
		% within Adult-Ped	1.1%	1.1%
Total		Count	188	188
		% within Adult-Ped	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	4	5	9
Diagnosis		% within Sex	.1%	1.2%	.2%
	1 (12-23 mo)	Count	5	3	8
		% within Sex	.1%	.7%	.2%
	2-4	Count	3	1	4
		% within Sex	.1%	.2%	.1%
	5-12	Count	4	3	7
		% within Sex	.1%	.7%	.2%
	13-19	Count	33	8	41
		% within Sex	.8%	1.9%	.9%
	20-24	Count	172	35	207
		% within Sex	4.1%	8.2%	4.4%
	25-29	Count	679	57	736
		% within Sex	16.0%	13.4%	15.8%
	30-34	Count	1016	96	1112
		% within Sex	24.0%	22.5%	23.9%
	35-39	Count	917	75	992
		% within Sex	21.7%	17.6%	21.3%
	40-44	Count	613	59	672
		% within Sex	14.5%	13.8%	14.4%
	45-49	Count	376	31	407
		% within Sex	8.9%	7.3%	8.7%
	50-54	Count	197	25	222
		% within Sex	4.7%	5.9%	4.8%
	55-59	Count	98	8	106
		% within Sex	2.3%	1.9%	2.3%
	60-64	Count	65	8	73
		% within Sex	1.5%	1.9%	1.6%
	65-69	Count	30	6	36
		% within Sex	.7%	1.4%	.8%
	70+	Count	19	6	25
		% within Sex	.4%	1.4%	.5%
Total		Count	4231	426	4657
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1655	121	1776
		% within Sex	39.1%	28.4%	38.1%
	African American	Count	461	94	555
		% within Sex	10.9%	22.1%	11.9%
	Hispanic	Count	2090	210	2300
		% within Sex	49.4%	49.3%	49.4%
	Asian-Pacific Islander	Count	11	1	12
		% within Sex	.3%	.2%	.3%
	Am Indian-Alaskan	Count	7	0	7
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	7	0	7
		% within Sex	.2%	.0%	.2%
Total	_	Count	4231	426	4657
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Transfusion Count Within Sex Confirmed Other Count Within Sex Count Co				Se	ex	
Transfusion Count Within Sex Confirmed Other Count Within Sex Count Co				Male	Female	Total
IDU Count 375 102 477		Male-to-Male Sex	Count	2924	0	2924
% within Sex 8.9% 23.9% 10.2% M-M & IDU Count 327 0 327 % within Sex 7.7% .0% 7.0% Hemophiliac Count 36 1 37 % within Sex .9% .2% .8% Heterosexual Contact Count 201 223 424 % within Sex 4.8% 52.3% 9.1% Transfusion Count 41 14 55 % within Sex 1.0% 3.3% 1.2% Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381	Exposure		% within Sex	69.1%	.0%	62.8%
M-M & IDU Count % within Sex 327 7.7% 0 327 7.0% Hemophiliac Count % within Sex .9% .2% .8% Heterosexual Contact Count % within Sex .9% .2% .8% Transfusion Count % within Sex 4.8% 52.3% 9.1% Transfusion Count % within Sex 1.0% 3.3% 1.2% Confirmed Other Count % within Sex .0% .5% .0% Not Classified Count 309 72 381		IDU	Count	375	102	477
% within Sex 7.7% .0% 7.0% Hemophiliac Count 36 1 37 % within Sex .9% .2% .8% Heterosexual Contact Count 201 223 424 % within Sex 4.8% 52.3% 9.1% Transfusion Count 41 14 55 % within Sex 1.0% 3.3% 1.2% Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381			% within Sex	8.9%	23.9%	10.2%
Hemophiliac Count 36 1 37 37 38 38 38 38 38 38		M-M & IDU	Count	327	0	327
% within Sex .9% .2% .8% Heterosexual Contact Count 201 223 424 % within Sex 4.8% 52.3% 9.1% Transfusion Count 41 14 55 % within Sex 1.0% 3.3% 1.2% Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381			% within Sex	7.7%	.0%	7.0%
Heterosexual Contact Count % within Sex 201 4.8% 52.3% 9.1% Transfusion Count % within Sex 4.8% 52.3% 9.1% % within Sex 1.0% 3.3% 1.2% Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381		Hemophiliac	Count	36	1	37
% within Sex 4.8% 52.3% 9.1% Transfusion Count 41 14 55 % within Sex 1.0% 3.3% 1.2% Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381			% within Sex	.9%	.2%	.8%
Transfusion Count % within Sex 41 14 55 33 33 36 1.2% Confirmed Other Count 0 2 2 2 3 381 Not Classified Count 309 72 381		Heterosexual Contact	Count	201	223	424
% within Sex 1.0% 3.3% 1.2% Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381			% within Sex	4.8%	52.3%	9.1%
Confirmed Other Count 0 2 2 % within Sex .0% .5% .0% Not Classified Count 309 72 381		Transfusion	Count	41	14	55
% within Sex .0% .5% .0% Not Classified Count 309 72 381			% within Sex	1.0%	3.3%	1.2%
Not Classified Count 309 72 381		Confirmed Other	Count	0	2	2
			% within Sex	.0%	.5%	.0%
		Not Classified	Count	309	72	381
% within Sex 7.3% 16.9% 8.2%			% within Sex	7.3%	16.9%	8.2%
Ped Hemophiliac Count 4 0 4		Ped Hemophiliac	Count	4	0	4
% within Sex .1% .0% .1%			% within Sex	.1%	.0%	.1%
Ped Parent at Risk Count 11 11 22		Ped Parent at Risk	Count	11	11	22
% within Sex .3% 2.6% .5%			% within Sex	.3%	2.6%	.5%
Ped Transfusion Count 3 0 3		Ped Transfusion	Count	3	0	3
% within Sex .1% .0% .1%			% within Sex	.1%	.0%	.1%
Ped Confirmed Other Count 0 1 1		Ped Confirmed Other	Count	0	1	1
% within Sex .0% .2% .0%			% within Sex	.0%	.2%	.0%
Total Count 4231 426 4657	Total		Count	4231	426	4657
% within Sex 100.0% 100.0% 100.0%			% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	1768	1776
		% within Adult-Ped	28.6%	38.2%	38.1%
	African American	Count	7	548	555
		% within Adult-Ped	25.0%	11.8%	11.9%
	Hispanic	Count	13	2287	2300
		% within Adult-Ped	46.4%	49.4%	49.4%
	Asian-Pacific Islander	Count	0	12	12
		% within Adult-Ped	.0%	.3%	.3%
	Am Indian-Alaskan	Count	0	7	7
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	7	7
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	28	4629	4657
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

Diagnosis % within Sex .0% .4% .0% .0% .4% .0% .0% .4% .0% .0% .4% .0% .0% .4% .0% .0% .4% .1% .8% .1% .24 .24 .24 .24 .24 .25 .24 .25 .24 .25 .				Se	ex	
Diagnosis				Male	Female	Total
1 (12-23 mo) Count 1 2 3 2-4 Count 1 1 1 2 % within Sex .1% .4% .1% 5-12 Count 1 2 3 % within Sex .1% .8% .1% 13-19 Count 12 6 18 % within Sex .6% 2.3% .8% 20-24 Count 93 24 117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 33 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 55 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 49 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 33 % within Sex 15.3% 11.7% <t< td=""><td></td><td>0 (0-11 mo)</td><td>Count</td><td>0</td><td>1</td><td>1</td></t<>		0 (0-11 mo)	Count	0	1	1
% within Sex .1% .8% .1% 2-4 Count 1 1 1 % within Sex .1% .4% .1% 5-12 Count 1 2 3 % within Sex .1% .8% .1% 13-19 Count 12 6 18 % within Sex .6% 2.3% .8% 20-24 Count 93 24 117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 33 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 498 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 33 % within Sex 15.3% 11.7% 19	Diagnosis		% within Sex	.0%	.4%	.0%
2-4 Count % within Sex .1% .4% .1% 5-12 Count 1 2 3 % within Sex .1% .8% .1% 13-19 Count 12 6 18 % within Sex .6% 2.3% .8% 20-24 Count 93 24 117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 33 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 498 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 33 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 194 % within Sex 8.9% 6.4%		1 (12-23 mo)	Count	1	2	3
% within Sex .1% .4% .1% 5-12 Count 1 2 3 % within Sex .1% .8% .1% 13-19 Count 12 6 18 % within Sex .6% 2.3% .8% 20-24 Count 93 24 117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 33 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 498 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 33 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 17 19 % within Sex 8.9% 6.4% 8.			% within Sex	.1%	.8%	.1%
5-12 Count % within Sex .1% .8% .1% 13-19 Count % within Sex .6% 2.3% .8% 20-24 Count 93 24 .117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 333 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 496 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 336 % within Sex 15.3% 11.7% 14.9% 45-49 Count 77 17 19 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 10 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% <td< td=""><td></td><td>2-4</td><td>Count</td><td>1</td><td>1</td><td>2</td></td<>		2-4	Count	1	1	2
% within Sex .1% .8% .1% 13-19 Count 12 6 18 % within Sex .6% 2.3% .8% 20-24 Count 93 24 117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 33 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 496 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 33 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 19 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 10 % within Sex 4.8% 4.9% 4.9% <			% within Sex	.1%	.4%	.1%
13-19		5-12	Count	1	2	3
% within Sex .6% 2.3% .8% 20-24 Count 93 24 117 % within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 333 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 496 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 336 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 19 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 106 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0%			% within Sex	.1%	.8%	.1%
20-24		13-19	Count	12	6	18
% within Sex 4.7% 9.1% 5.2% 25-29 Count 296 37 333 % within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 496 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 335 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 17 194 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 105 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 2 % within Sex .9% 1.5%			% within Sex	.6%	2.3%	.8%
25-29		20-24	Count	93	24	117
% within Sex 14.9% 14.0% 14.8% 30-34 Count 482 68 550 % within Sex 24.3% 25.7% 24.5% 35-39 Count 450 48 498 % within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 335 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 194 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 105 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 2 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	4.7%	9.1%	5.2%
30-34 Count 482 68 550		25-29	Count	296	37	333
30-34 Count 482 68 550			% within Sex	14.9%	14.0%	14.8%
35-39 Count 450 48 498 498 40-44 Count 304 31 338 45-49 Count 177 17 194 65-69 Count 40 6 40 65-69 Count 177 4 20 65-69 Count 7 3 108 109 65-69 Count 7 3 108 109		30-34	Count	482	68	550
% within Sex 22.7% 18.1% 22.2% 40-44 Count 304 31 338 % within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 194 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 108 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 2 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	24.3%	25.7%	24.5%
40-44 Count 304 31 335 3		35-39	Count	450	48	498
% within Sex 15.3% 11.7% 14.9% 45-49 Count 177 17 192 % within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 109 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 22 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	22.7%	18.1%	22.2%
45-49 Count 177 17 194		40-44	Count	304	31	335
% within Sex 8.9% 6.4% 8.6% 50-54 Count 96 13 109 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 20 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	15.3%	11.7%	14.9%
50-54 Count % within Sex 96 13 105 % within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 2 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10		45-49	Count	177	17	194
% within Sex 4.8% 4.9% 4.9% 55-59 Count 40 6 46 % within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 2° % within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	8.9%	6.4%	8.6%
55-59 Count % within Sex 40 6 2.0% 46 2.3% 2.0% 60-64 Count % within Sex 17 4 22 2.0% 1.5% .9% 65-69 Count 7 3 10 1.5% .9%		50-54	Count	96	13	109
% within Sex 2.0% 2.3% 2.0% 60-64 Count 17 4 22 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	4.8%	4.9%	4.9%
60-64 Count 17 4 22 % within Sex .9% 1.5% .9% 65-69 Count 7 3 10		55-59	Count	40	6	46
% within Sex .9% 1.5% .9% 65-69 Count 7 3 10			% within Sex	2.0%	2.3%	2.0%
65-69 Count 7 3 10		60-64	Count	17	4	21
			% within Sex	.9%	1.5%	.9%
% within Sex .4% 1.1% .4%		65-69	Count	7	3	10
			% within Sex	.4%	1.1%	.4%
		70+	Count		2	6
% within Sex .2% .8% .3%			% within Sex	.2%	.8%	.3%
	Total		Count			2246
% within Sex 100.0% 100.0% 100.0%			% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

Current Age 5-12 Count 1 Age % within Sex .1% 13-19 Count 1 % within Sex .1% 20-24 Count 15	Female 3 1.1% 3 1.1%	Total 4 .2% 4
Age % within Sex .1% 13-19 Count 1 % within Sex .1% 20-24 Count 15	1.1%	.2%
13-19 Count 1 1 % within Sex .1% 20-24 Count 15	3	_
% within Sex .1% .15	, and the second	1
20-24 Count 15	1.1%	7
		.2%
0/	4	19
% within Sex8%	1.5%	.8%
25-29 Count 60	19	79
% within Sex 3.0%	7.2%	3.5%
30-34 Count 193	33	226
% within Sex 9.7%	12.5%	10.1%
35-39 Count 423	64	487
% within Sex 21.4%	24.2%	21.7%
40-44 Count 514	57	571
% within Sex 25.9%	21.5%	25.4%
45-49 Count 354	37	391
% within Sex 17.9%	14.0%	17.4%
50-54 Count 212	16	228
% within Sex 10.7%	6.0%	10.2%
55-59 Count 113	15	128
% within Sex 5.7%	5.7%	5.7%
60-64 Count 54	5	59
% within Sex 2.7%	1.9%	2.6%
65-69 Count 23	3	26
% within Sex 1.2%	1.1%	1.2%
70+ Count 18	6	24
% within Sex .9%	2.3%	1.1%
Total Count 1981	265	2246
% within Sex 100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	697	68	765
		% within Sex	35.2%	25.7%	34.1%
	African American	Count	238	58	296
		% within Sex	12.0%	21.9%	13.2%
	Hispanic	Count	1030	138	1168
		% within Sex	52.0%	52.1%	52.0%
	Asian-Pacific Islander	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	6	0	6
		% within Sex	.3%	.0%	.3%
	Not Specified	Count	3	0	3
		% within Sex	.2%	.0%	.1%
Total	_	Count	1981	265	2246
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1325	0	1325
Exposure		% within Sex	66.9%	.0%	59.0%
	IDU	Count	200	59	259
		% within Sex	10.1%	22.3%	11.5%
	M-M & IDU	Count	132	0	132
		% within Sex	6.7%	.0%	5.9%
	Hemophiliac	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Heterosexual Contact	Count	113	145	258
		% within Sex	5.7%	54.7%	11.5%
	Transfusion	Count	6	0	6
		% within Sex	.3%	.0%	.3%
	Not Classified	Count	194	54	248
		% within Sex	9.8%	20.4%	11.0%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	.1%	1.9%	.3%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.4%	.0%
Total		Count	1981	265	2246
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	3	762	765
		% within Adult-Ped	33.3%	34.1%	34.1%
	African American	Count	1	295	296
		% within Adult-Ped	11.1%	13.2%	13.2%
	Hispanic	Count	5	1163	1168
		% within Adult-Ped	55.6%	52.0%	52.0%
	Asian-Pacific Islander	Count	0	8	8
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	6	6
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	.1%	.1%
Total	_	Count	9	2237	2246
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	4	2	6
Diagnosis		% within Sex	.1%	.4%	.2%
	1 (12-23 mo)	Count	2	3	5
		% within Sex	.1%	.6%	.1%
	2-4	Count	1	3	4
		% within Sex	.0%	.6%	.1%
	5-12	Count	2	3	5
		% within Sex	.1%	.6%	.1%
	13-19	Count	42	19	61
		% within Sex	1.5%	3.9%	1.8%
	20-24	Count	203	63	266
		% within Sex	7.1%	12.8%	7.9%
	25-29	Count	484	74	558
		% within Sex	16.9%	15.1%	16.6%
	30-34	Count	669	110	779
		% within Sex	23.3%	22.4%	23.2%
	35-39	Count	613	84	697
		% within Sex	21.4%	17.1%	20.7%
	40-44	Count	406	59	465
		% within Sex	14.2%	12.0%	13.8%
	45-49	Count	225	30	255
		% within Sex	7.8%	6.1%	7.6%
	50-54	Count	124	18	142
		% within Sex	4.3%	3.7%	4.2%
	55-59	Count	56	12	68
		% within Sex	2.0%	2.4%	2.0%
	60-64	Count	22	6	28
		% within Sex	.8%	1.2%	.8%
	65-69	Count	7	3	10
		% within Sex	.2%	.6%	.3%
	70+	Count	9	2	11
		% within Sex	.3%	.4%	.3%
Total		Count	2869	491	3360
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	1	0	1
Age		% within Sex	.0%	.0%	.0%
	2-4	Count	2	3	5
		% within Sex	.1%	.6%	.1%
	5-12	Count	3	4	7
		% within Sex	.1%	.8%	.2%
	13-19	Count	7	8	15
		% within Sex	.2%	1.6%	.4%
	20-24	Count	80	22	102
		% within Sex	2.8%	4.5%	3.0%
	25-29	Count	154	53	207
		% within Sex	5.4%	10.8%	6.2%
	30-34	Count	365	70	435
		% within Sex	12.7%	14.3%	12.9%
	35-39	Count	601	102	703
		% within Sex	20.9%	20.8%	20.9%
	40-44	Count	689	98	787
		% within Sex	24.0%	20.0%	23.4%
	45-49	Count	442	62	504
		% within Sex	15.4%	12.6%	15.0%
	50-54	Count	268	25	293
		% within Sex	9.3%	5.1%	8.7%
	55-59	Count	137	21	158
		% within Sex	4.8%	4.3%	4.7%
	60-64	Count	71	13	84
		% within Sex	2.5%	2.6%	2.5%
	65-69	Count	26	4	30
		% within Sex	.9%	.8%	.9%
	70+	Count	23	6	29
		% within Sex	.8%	1.2%	.9%
Total		Count	2869	491	3360
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1003	130	1133
		% within Sex	35.0%	26.5%	33.7%
	African American	Count	354	112	466
		% within Sex	12.3%	22.8%	13.9%
	Hispanic	Count	1487	245	1732
		% within Sex	51.8%	49.9%	51.5%
	Asian-Pacific Islander	Count	10	2	12
		% within Sex	.3%	.4%	.4%
	Am Indian-Alaskan	Count	6	0	6
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	9	2	11
		% within Sex	.3%	.4%	.3%
Total	_	Count	2869	491	3360
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

			Sex		
			Male	Female	Total
Mode of Exposure	Male-to-Male Sex	Count	1838	0	1838
		% within Sex	64.1%	.0%	54.7%
	IDU	Count	268	108	376
		% within Sex	9.3%	22.0%	11.2%
	M-M & IDU	Count	158	0	158
		% within Sex	5.5%	.0%	4.7%
-	Hemophiliac	Count	7	1	8
		% within Sex	.2%	.2%	.2%
	Heterosexual Contact	Count	148	235	383
		% within Sex	5.2%	47.9%	11.4%
	Transfusion	Count	9	1	10
		% within Sex	.3%	.2%	.3%
	Not Classified	Count	431	135	566
		% within Sex	15.0%	27.5%	16.8%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	7	9	16
		% within Sex	.2%	1.8%	.5%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.2%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.2%	.1%
Total		Count	2869	491	3360
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	1128	1133
		% within Adult-Ped	25.0%	33.8%	33.7%
	African American	Count	5	461	466
		% within Adult-Ped	25.0%	13.8%	13.9%
	Hispanic	Count	10	1722	1732
		% within Adult-Ped	50.0%	51.6%	51.5%
	Asian-Pacific Islander	Count	0	12	12
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	6	6
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	11	11
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	20	3340	3360
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio